



Certificate number: 2301702 (1)

Issued 04/01/2023

Expires 04/01/2028

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

Geberit Sales Ltd.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> or the QR code below to ensure that the certificate is still valid.

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:

Geberit Sales Ltd
Geberit House
Edgehill Drive
Warwick
CV34 6NH
United Kingdom



KUKreg4

Product Certificate

Appendix to Certificate number: 2301702

The following products belong to this certificate

PRODUCT DESCRIPTION 'Flow fit' range of press fittings made from PPSU, lead-free gunmetal and lead free silicone brass for use with Geberit system pipe ML. ATS3 – Without Production Surveillance.
MODEL(S) Geberit system pipe ML, in bars: d=16mm, L=3m Geberit system pipe ML, in bars: d=20mm, L=3m Geberit system pipe ML, in bars: d=25mm, L=3m Geberit system pipe ML, in bars: d=32mm, L=3m Geberit system pipe ML, in bars: d=40mm, L=3m Geberit system pipe ML, in bars: d=50mm, L=3m Geberit system pipe ML, in bars: d=63mm, L=3m Geberit system pipe ML, in bars: d=16mm, L=5m Geberit system pipe ML, in bars: d=20mm, L=5m Geberit system pipe ML, in bars: d=25mm, L=5m Geberit system pipe ML, in bars: d=32mm, L=5m Geberit system pipe ML, in bars: d=40mm, L=5m Geberit system pipe ML, in bars: d=50mm, L=5m Geberit system pipe ML, in bars: d=63mm, L=5m Geberit system pipe ML, in bars: d=75mm, L=5m Geberit system pipe ML, in coils: d=16mm, L=50m Geberit system pipe ML, in coils: d=16mm, L=120m Geberit system pipe ML, in coils: d=16mm, L=250m Geberit system pipe ML, in coils: d=20mm, L=50m Geberit system pipe ML, in coils: d=20mm, L=100m Geberit system pipe ML, in coils: d=25mm, L=50m Geberit system pipe ML, in coils: d=32mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=16mm, Insulation=6mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=20mm, Insulation=6mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=25mm, Insulation=6mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=16mm, Insulation=6mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=20mm, Insulation=6mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=25mm, Insulation=6mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=32mm, Insulation=6mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=16mm, Insulation=10mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=20mm, Insulation=10mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=25mm, Insulation=10mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=32mm, Insulation=10mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=16mm, Insulation=13mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=20mm, Insulation=13mm, L=50m Geberit system pipe ML, with circular pre-insulation, in coils: d=25mm, Insulation=13mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=32mm, Insulation=13mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=16mm, Insulation=26mm, L=25m Geberit system pipe ML, with circular pre-insulation, in coils: d=20mm, Insulation=26mm, L=20m Geberit system pipe ML, with circular pre-insulation, in coils: d=25mm, Insulation=26mm, L=15m Geberit FlowFit coupling: PPSU, d=16mm Geberit FlowFit coupling: PPSU, d=20mm Geberit FlowFit coupling: PPSU, d=25mm Geberit FlowFit coupling: PPSU, d=32mm Geberit FlowFit coupling: PPSU, d=40mm Geberit FlowFit coupling: PPSU, d=50mm Geberit FlowFit coupling: PPSU, d=63mm

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit coupling: PPSU, d=75mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=16mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=20mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=25mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=32mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=40mm
 Geberit FlowFit long coupling: CuZn21Si3P, d=50mm
 Geberit FlowFit reducer: PPSU, d=20mm, d1=16mm
 Geberit FlowFit reducer: PPSU, d=25mm, d1=16mm
 Geberit FlowFit reducer: PPSU, d=25mm, d1=20mm
 Geberit FlowFit reducer: PPSU, d=32mm, d1=20mm
 Geberit FlowFit reducer: PPSU, d=32mm, d1=25mm
 Geberit FlowFit reducer: PPSU, d=40mm, d1=20mm
 Geberit FlowFit reducer: PPSU, d=40mm, d1=25mm
 Geberit FlowFit reducer: PPSU, d=40mm, d1=32mm
 Geberit FlowFit reducer: PPSU, d=50mm, d1=32mm
 Geberit FlowFit reducer: PPSU, d=50mm, d1=40mm
 Geberit FlowFit reducer: PPSU, d=63mm, d1=40mm
 Geberit FlowFit reducer: PPSU, d=63mm, d1=50mm
 Geberit FlowFit reducer: PPSU, d=75mm, d1=40mm
 Geberit FlowFit reducer: PPSU, d=75mm, d1=50mm
 Geberit FlowFit reducer: PPSU, d=75mm, d1=63mm
 Geberit FlowFit bend: 45°, PPSU, d=25mm
 Geberit FlowFit bend: 45°, PPSU, d=32mm
 Geberit FlowFit bend: 45°, PPSU, d=40mm
 Geberit FlowFit bend: 45°, PPSU, d=50mm
 Geberit FlowFit bend: 45°, PPSU, d=63mm
 Geberit FlowFit bend: 45°, PPSU, d=75mm
 Geberit FlowFit bend: 90°, PPSU, d=16mm
 Geberit FlowFit bend: 90°, PPSU, d=20mm
 Geberit FlowFit bend: 90°, PPSU, d=25mm
 Geberit FlowFit bend: 90°, PPSU, d=32mm
 Geberit FlowFit bend: 90°, PPSU, d=40mm
 Geberit FlowFit bend: 90°, PPSU, d=50mm
 Geberit FlowFit bend: 90°, PPSU, d=63mm
 Geberit FlowFit bend: 90°, PPSU, d=75mm
 Geberit FlowFit T-piece, equal: PPSU, d=16mm
 Geberit FlowFit T-piece, equal: PPSU, d=20mm
 Geberit FlowFit T-piece, equal: PPSU, d=25mm
 Geberit FlowFit T-piece, equal: PPSU, d=32mm
 Geberit FlowFit T-piece, equal: PPSU, d=40mm
 Geberit FlowFit T-piece, equal: PPSU, d=50mm
 Geberit FlowFit T-piece, equal: PPSU, d=63mm
 Geberit FlowFit T-piece, equal: PPSU, d=75mm
 Geberit FlowFit T-piece, reduced: PPSU, d=20mm, d1=16mm, d2=20mm
 Geberit FlowFit T-piece, reduced: PPSU, d=20mm, d1=16mm, d2=16mm
 Geberit FlowFit T-piece, reduced: PPSU, d=16mm, d1=20mm, d2=16mm
 Geberit FlowFit T-piece, reduced: PPSU, d=25mm, d1=20mm, d2=20mm
 Geberit FlowFit T-piece, reduced: PPSU, d=20mm, d1=20mm, d2=16mm
 Geberit FlowFit T-piece, reduced: PPSU, d=32mm, d1=25mm, d2=25mm
 Geberit FlowFit T-piece, reduced: PPSU, d=40mm, d1=20mm, d2=40mm
 Geberit FlowFit T-piece, reduced: PPSU, d=50mm, d1=40mm, d2=40mm
 Geberit FlowFit T-piece, reduced: PPSU, d=63mm, d1=25mm, d2=63mm
 Geberit FlowFit T-piece, reduced: PPSU, d=75mm, d1=25mm, d2=75mm
 Geberit FlowFit T-piece, reduced: PPSU, d=25mm, d1=16mm, d2=25mm
 Geberit FlowFit T-piece, reduced: PPSU, d=32mm, d1=16mm, d2=32mm

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit T-piece, reduced: PPSU, d=40mm, d1=25mm, d2=40mm
 Geberit FlowFit T-piece, reduced: PPSU, d=50mm, d1=25mm, d2=50mm
 Geberit FlowFit T-piece, reduced: PPSU, d=63mm, d1=32mm, d2=63mm
 Geberit FlowFit T-piece, reduced: PPSU, d=75mm, d1=32mm, d2=75mm
 Geberit FlowFit T-piece, reduced: PPSU, d=25mm, d1=20mm, d2=25mm
 Geberit FlowFit T-piece, reduced: PPSU, d=32mm, d1=20mm, d2=25mm
 Geberit FlowFit T-piece, reduced: PPSU, d=40mm, d1=32mm, d2=40mm
 Geberit FlowFit T-piece, reduced: PPSU, d=50mm, d1=32mm, d2=50mm
 Geberit FlowFit T-piece, reduced: PPSU, d=63mm, d1=40mm, d2=63mm
 Geberit FlowFit T-piece, reduced: PPSU, d=75mm, d1=40mm, d2=75mm
 Geberit FlowFit T-piece, reduced: PPSU, d=20mm, d1=25mm, d2=20mm
 Geberit FlowFit T-piece, reduced: PPSU, d=32mm, d1=20mm, d2=32mm
 Geberit FlowFit T-piece, reduced: PPSU, d=50mm, d1=40mm, d2=50mm
 Geberit FlowFit T-piece, reduced: PPSU, d=63mm, d1=50mm, d2=63mm
 Geberit FlowFit T-piece, reduced: PPSU, d=75mm, d1=50mm, d2=75mm
 Geberit FlowFit T-piece, reduced: PPSU, d=25mm, d1=25mm, d2=20mm
 Geberit FlowFit T-piece, reduced: PPSU, d=32mm, d1=25mm, d2=32mm
 Geberit FlowFit T-piece, reduced: PPSU, d=75mm, d1=63mm, d2=75mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=16mm, Rp=1/2", d1=16mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=20mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=25mm, Rp=1/2", d1=20mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=25mm, Rp=1/2", d1=25mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=25mm, Rp=3/4", d1=25mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=32mm, Rp=1/2", d1=32mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=32mm, Rp=3/4", d1=32mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=32mm, Rp=1", d1=32mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=40mm, Rp=1/2", d1=40mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=40mm, Rp=3/4", d1=40mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=40mm, Rp=1", d1=40mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=40mm, Rp=1 1/4", d1=40mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=50mm, Rp=1/2", d1=50mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=50mm, Rp=3/4", d1=50mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=50mm, Rp=1", d1=50mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=50mm, Rp=1 1/2", d1=50mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=63mm, Rp=1/2", d1=63mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=63mm, Rp=1", d1=63mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=63mm, Rp=2", d1=63mm
 Geberit FlowFit T-piece with female thread: CuSn4Zn2PS, d=75mm, Rp=1", d1=75mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=16mm, d1=16mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=20mm, d1=20mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=25mm, d1=26mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=32mm, d1=32mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=40mm, d1=40mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=50mm, d1=50mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=63mm, d1=63mm
 Geberit FlowFit adapter to Geberit Mepla: CuZn21Si3P, d=75mm, d1=75mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=16mm, d1=12mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=16mm, d1=15mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=20mm, d1=15mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=20mm, d1=18mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=20mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=25mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=32mm, d1=28mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=40mm, d1=35mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=50mm, d1=42mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: CuSn4Zn2PS, d=63mm, d1=54mm

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=16mm, d1=15mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=20mm, d1=18mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=20mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=25mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=32mm, d1=28mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=40mm, d1=35mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=50mm, d1=42mm
 Geberit FlowFit adapter to Geberit Mapress, with plain end: X5CrNiMo17-12-2, d=63mm, d1=54mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=16mm, d1=12mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=16mm, d1=15mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=20mm, d1=15mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=20mm, d1=18mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=20mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=25mm, d1=22mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=32mm, d1=28mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=40mm, d1=35mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=50mm, d1=42mm
 Geberit FlowFit adapter to Geberit Mapress, with pressing socket: X5CrNiMo17-12-2, d=63mm, d1=54mm
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=16mm, R=3/8"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=20mm, R=3/8"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=25mm, R=1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=32mm, R=1"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=40mm, R=1"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=50mm, R=1 1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=63mm, R=2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=75mm, R=2 1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=16mm, R=1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=20mm, R=1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=25mm, R=3/4"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=32mm, R=1 1/4"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=40mm, R=1 1/4"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=50mm, R=2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=63mm, R=2 1/2"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=16mm, R=3/4"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=20mm, R=3/4"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=25mm, R=1"
 Geberit FlowFit adapter with male thread: CuZn21Si3P, d=40mm, R=1 1/2"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=20mm, R=1/2"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=25mm, R=3/4"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=32mm, R=1"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=40mm, R=1 1/4"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=50mm, R=1 1/2"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-2, d=63mm, R=2"
 Geberit FlowFit adapter with male thread: X5CrNiMo17-12-4, d=75mm, R=2 1/2"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=16mm, Rp=3/8"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=16mm, Rp=1/2"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=16mm, Rp=3/4"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=20mm, Rp=3/8"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=20mm, Rp=1/2"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=20mm, Rp=3/4"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=25mm, Rp=3/4"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=25mm, Rp=1"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=32mm, Rp=1"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=32mm, Rp=1 1/4"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=40mm, Rp=1"
 Geberit FlowFit adapter with female thread: CuZn21Si3P, d=40mm, Rp=1 1/4"

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=40mm, Rp=1 1/2"

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=50mm, Rp=1 1/2"

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=50mm, Rp=2"

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=63mm, Rp=2"

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=63mm, Rp=2 1/2"

Geberit FlowFit adapter with female thread: CuZn21Si3P, d=75mm, Rp=2 1/2"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=16mm, R=1/2"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=16mm, R=3/4"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=20mm, R=1/2"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=20mm, R=3/4"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=25mm, R=3/4"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=25mm, R=1"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=32mm, R=1"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=40mm, R=1 1/4"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=50mm, R=1 1/2"

Geberit FlowFit bend adapter 90° with male thread: CuSn4Zn2PS, d=63mm, R=2"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=16mm, R=1/2"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=16mm, R=3/4"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=20mm, R=1/2"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=20mm, R=3/4"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=25mm, R=3/4"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=25mm, R=1"

Geberit FlowFit 90° bend adapter with male thread, long: CuSn4Zn2PS, d=32mm, R=1"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=25mm, Rp=3/4"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=32mm, Rp=1"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=40mm, Rp=1 1/4"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=50mm, Rp=1 1/2"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=63mm, Rp=2"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=16mm, Rp=1/2"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=20mm, Rp=1/2"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=25mm, Rp=1"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=16mm, Rp=3/4"

Geberit FlowFit bend adapter 90° with female thread: CuSn4Zn2PS, d=20mm, Rp=3/4"

Geberit FlowFit adapter with MasterFix: PPSU, d=16mm, RpMF=1/2"

Geberit FlowFit adapter with MasterFix: PPSU, d=20mm, RpMF=1/2"

Geberit FlowFit elbow adapter 90° with MasterFix: PPSU, d=16mm, RpMF=1/2"

Geberit FlowFit elbow adapter 90° with MasterFix: PPSU, d=20mm, RpMF=1/2"

Geberit FlowFit T-piece adapter with MasterFix, through-flow: PPSU, d=16mm, RpMF=1/2", d1=16mm

Geberit FlowFit T-piece adapter with MasterFix, through-flow: PPSU, d=20mm, RpMF=1/2", d1=16mm

Geberit FlowFit T-piece adapter with MasterFix, through-flow: PPSU, d=20mm, RpMF=1/2", d1=20mm

Geberit FlowFit T-piece adapter with MasterFix, through-flow: PPSU, d=25mm, RpMF=1/2", d1=20mm

Geberit FlowFit T-piece adapter with MasterFix, through-flow: PPSU, d=25mm, RpMF=1/2", d1=25mm

Geberit FlowFit T-piece adapter with MasterFix, branch fitting: PPSU, d=16mm, d1=16mm, RpMF1=1/2"

Geberit FlowFit T-piece adapter with MasterFix, branch fitting: PPSU, d=20mm, d1=20mm, RpMF1=1/2"

Geberit FlowFit adapter to Compact: CuZn21Si3P, d=16mm, di=21mm

Geberit FlowFit adapter to Compact: CuZn21Si3P, d=20mm, di=21mm

Geberit FlowFit adapter to Compact: CuZn21Si3P, d=25mm, di=21mm

Geberit FlowFit screw connection: CuZn21Si3P, d=16mm

Geberit FlowFit screw connection: CuZn21Si3P, d=20mm

Geberit FlowFit screw connection: CuZn21Si3P, d=25mm

Geberit FlowFit screw connection: CuZn21Si3P, d=32mm

Geberit FlowFit screw connection: CuZn21Si3P, d=40mm

Geberit FlowFit screw connection: CuZn21Si3P, d=50mm

Geberit FlowFit screw connection: CuZn21Si3P, d=63mm

Geberit FlowFit adapter union with male thread: CuZn21Si3P, d=16mm, R=1/2", G=3/4"

Geberit FlowFit adapter union with male thread: CuZn21Si3P, d=20mm, R=1/2", G=3/4"

Appendix to Certificate number: 2301702

[illegible]

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit adapter union with clamping ring: CuZn21Si3P, d=16mm, d1=12mm
 Geberit FlowFit adapter union with clamping ring: CuZn21Si3P, d=16mm, d1=15mm
 Geberit FlowFit adapter union with clamping ring: CuZn21Si3P, d=20mm, d1=15mm
 Geberit FlowFit elbow adapter 90° with clamping ring union: CuSn4Zn2PS, d=16mm, d1=12mm
 Geberit FlowFit elbow adapter 90° with clamping ring union: CuSn4Zn2PS, d=16mm, d1=15mm
 Geberit FlowFit elbow adapter 90° with clamping ring union: CuSn4Zn2PS, d=20mm, d1=15mm
 Geberit FlowFit adapter to copper pipe clamping ring union: Product material=CuZn21Si3P / Cu, d=16mm, d1=15mm
 Geberit FlowFit adapter to copper pipe clamping ring union: Product material=CuZn21Si3P / Cu, d=20mm, d1=15mm
 Geberit FlowFit adapter to copper pipe clamping ring union: Product material=CuZn21Si3P / Cu, d=25mm, d1=22mm
 Geberit FlowFit adapter with screw connection to PEX pipes: CuZn21Si3P, d=16mm, d1=16mm, PN=6bar
 Geberit FlowFit adapter with screw connection to PEX pipes: CuZn21Si3P, d=20mm, d1=20mm, PN=6bar
 Geberit FlowFit adapter with screw connection to PEX pipes: CuZn21Si3P, d=25mm, d1=25mm, PN=6bar
 Geberit FlowFit flange PN6, with pressing unit: CuZn21Si3P, d=75mm, DN=65
 Geberit FlowFit flange PN10/16, with pressing unit: CuZn21Si3P, d=75mm, DN=65
 Geberit FlowFit pipe end plug: CuZn21Si3P, d=16mm
 Geberit FlowFit pipe end plug: CuZn21Si3P, d=20mm
 Geberit FlowFit pipe end plug: CuZn21Si3P, d=25mm
 Geberit FlowFit tap connector box 90° with MasterFix: CC499K, d=16mm, Rp=1/2"
 Geberit FlowFit tap connector box 90° with MasterFix: CC499K, d=20mm, Rp=1/2"
 Geberit FlowFit tap connector box 90° with MasterFix: CC499K, d=20mm, Rp=3/4"
 Geberit tap connector box 90° for MasterFix: CC499K, Rp=1/2"
 Geberit tap connector box 90° for MasterFix: CC499K, Rp=3/4"
 Geberit FlowFit double tap connector box 90° with MasterFix: CC499K, d=16mm, Rp=1/2", d1=16mm
 Geberit FlowFit double tap connector box 90° with MasterFix: CC499K, d=20mm, Rp=1/2", d1=16mm
 Geberit double tap connector box 90° for MasterFix: CC499K, Rp=1/2"
 Geberit FlowFit tap connector box 90° with MasterFix, premounted: CC499K, d=16mm, Rp=1/2", AD=15.3cm
 Geberit FlowFit tap connector box 90° with MasterFix, premounted: CC499K, d=20mm, Rp=1/2", AD=15.3cm
 Geberit tap connector box 90° for MasterFix, premounted: CC499K, Rp=1/2", RMF=1/2", AD=15.3cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=25mm, Rp=3/4", L=5.2cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=16mm, Rp=3/8", L=3.6cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=3/8", L=3.6cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=16mm, Rp=1/2", L=3.6cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", L=3.6cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=16mm, Rp=1/2", L=5.2cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", L=5.2cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=3/4", L=5.2cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=16mm, Rp=1/2", L=7.8cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", L=7.8cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=16mm, Rp=3/8", L=5.2cm
 Geberit FlowFit connection bend 90°: CuSn4Zn2PS, d=20mm, Rp=3/8", L=5.2cm
 Geberit FlowFit T-elbow tap connector 90°, offset: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=20mm, L=3.6cm
 Geberit FlowFit T-elbow tap connector 90°, offset: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=20mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=16mm, Rp=1/2", d1=16mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=16mm, Rp=1/2", d1=20mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=25mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=16mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=25mm, Rp=1/2", d1=20mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", d1=20mm, L=5.2cm
 Geberit FlowFit double elbow tap connector 90°: CuSn4Zn2PS, d=25mm, Rp=1/2", d1=25mm, L=5.2cm
 Geberit FlowFit corner elbow connector 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", L=3.6cm
 Geberit FlowFit corner elbow connector 90°: CuSn4Zn2PS, d=20mm, Rp=1/2", L=5.2cm
 Geberit FlowFit set of connection bend 90°, double: CuSn4Zn2PS, d=16mm, Rp=1/2", L1=4.7cm, AD=15cm
 Geberit FlowFit set of connection bend 90°, double: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm, AD=15cm
 Geberit FlowFit connection bend 90°, premounted, single: CuSn4Zn2PS, d=16mm, Rp=1/2", L1=5.2cm
 Geberit FlowFit connection bend 90°, premounted, single: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm
 Geberit FlowFit elbow tap connector 90°, premounted, double: CuSn4Zn2PS, d=16mm, Rp=1/2", L1=5.2cm, AD=15.3cm

Product Certificate

Appendix to Certificate number: 2301702

Geberit FlowFit elbow tap connector 90°, premounted, double: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm, AD=15.3cm
Geberit FlowFit elbow tap connector 90°, premounted, double: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm, AD=10cm
Geberit FlowFit PushFit tap connector box 90° pre-mounted, double: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm, AD=15.3cm
Geberit FlowFit elbow tap connector 90°, premounted, double: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=7.8cm, AD=15.3cm
Geberit FlowFit connection bend 90°, premounted, double, with drain pipe bracket and connection bend: CuSn4Zn2PS, d=20mm, Rp=1/2", L1=5.2cm, AD=15.3cm
Geberit FlowFit elbow tap connector 90°, premounted, double: CuSn4Zn2PS, d=16mm, Rp=1/2", L1=3.6cm, AD=15.3cm
Geberit FlowFit elbow tap connector 90° for concealed cistern: CuSn4Zn2PS, d=16mm, Rp=1/2"
Geberit FlowFit elbow tap connector 90° for concealed cistern: CuSn4Zn2PS, d=20mm, Rp=1/2"
Geberit FlowFit Mepla elbow tap connector 90° for concealed cistern: CuSn4Zn2PS, d=16mm, Rp=1/2"
Geberit FlowFit Mepla elbow tap connector 90° for concealed cistern: CuSn4Zn2PS, d=20mm, Rp=1/2"
Geberit FlowFit FloiwFit connector T-piece for concealed cistern: CuSn4Zn2PS, d=16mm, Rp=1/2"
Geberit FlowFit FloiwFit connector T-piece for concealed cistern: CuSn4Zn2PS, d=20mm, Rp=1/2"
Geberit manifold with threaded connection and connection nipple for manifold, for MasterFix: CC770S, Rp=3/4", RMF1=1/2", R1=3/4", Number of outlets=2
Geberit manifold with threaded connection and connection nipple for manifold, for MasterFix: CC770S, Rp=3/4", RMF1=1/2", R1=3/4", Number of outlets=3
Geberit offset bend with male thread: CC499K, R=3/4"
Geberit cap with MasterFix: CW617N, RpMF=1/2"
Geberit FlowFit connection nipple for manifold, for Euro cone: CuZn21Si3P, d=16mm, G=3/4"
Geberit FlowFit connection nipple for manifold, for Euro cone: CuZn21Si3P, d=20mm, G=3/4"
SIZE: See model.
SCOPE: Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature 95°C. Hygienic Purposes: Non-metallic materials suitable for continuous use up to 85°C.
MARKING Manufacturers name and size on fitting. Pipe with logo, size, material type, and technical data.
MATERIALS Non-metallic materials assessed (BS6920) to point of discharge.
BACKFLOW PROTECTION NOTES N/A.
ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements.

Extra Notes